



"Standard"
PLUMBING FIXTURES
for the HOME

The Public & "Standard" PLUMBING FIXTURES

WE confidently believe that we manufacture every type of plumbing fixture and accessory the public requires. We are equally confident that "Standard" Plumbing Fixtures are unsurpassed in quality and design.

Certainly no more impressive endorsement of "Standard" products could be obtained nor desired, than the plain fact that since the year 1900 the public has purchased 5,807,000 Baths, 7,130,000 Lavatories, 3,240,000 One-piece Sinks and a correspondingly large number of other "Standard" Plumbing Fixtures.

Altogether about 22,654,000 "Standard" Plumbing Fixtures have been sold since 1900.

Standard Sanitary Mfg. Co.

GENERAL OFFICES

PITTSBURGH, U. S. A.

FACTORIES

PITTSBURGH, PA.

LOUISVILLE, KY.

NEW BRIGHTON, PA.

BALTIMORE, MD.

TIFFIN, OHIO

KOKOMO, IND.

TORONTO, CAN.

WAREHOUSES

Boston, Mass. - - - - - - 365 C Street, South Boston

Long Island City, N. Y. - - - - - 556 Northern Blvd.

Philadelphia, Pa. - - - - - Glenwood Avenue and Oxford Street

Portland, Ore. - - - - - Fifteenth and Lovejoy Streets

San Francisco, Calif. - - - - - Brannan and 9th Streets

Seattle, Wash. - - - - - 1242 First Avenue, South

EXPORT

NEW YORK, N. Y., 50 Broad Street

HAVANA, CUBA, Edificio Royal Bank of Canada No. 518, Aguiar No. 75

BUENOS AIRES, ARGENTINE REP., S. A., Edificio Britanico

TOKIO, JAPAN

SHANGHAI, CHINA

MANILA, P. I.

MELBOURNE AND SYDNEY, AUSTRALIA

AUCKLAND, N. Z.

CABLE ADDRESS { SANITARY PITTSBURGH } BENTLEY'S
 { SANITARY NEW YORK }

"Standard" Branches, Showrooms and Sales Offices

*AKRON, O. (Showroom)	- - - - -	Crosier and High Streets
*ALTOONA, PA.	- - - - -	916 Eleventh Avenue
ATLANTA, GA. (Showroom)	- - - - -	281 Peachtree Street
*BIRMINGHAM, ALA. (Showroom)	- - - - -	503 22nd Street, So.
BOSTON, MASS. (Showroom)	- - - - -	186-200 Devonshire Street
*CANTON, O. (Showroom)	- - - - -	1106 Second Street, N. E.
*CHICAGO, ILL.	- - - - -	3716 Iron Street
CHICAGO, ILL. (Showroom)	- - - - -	900 South Michigan Avenue
*CHICAGO, ILL. (Northwest Branch)	- - - - -	2337 N. Crawford Avenue
*CHICAGO, ILL. (Evanston Branch)	- - - - -	Chicago Avenue and Keeney St.
*CHICAGO, ILL. (Oak Park Branch)	- - - - -	260 Madison Avenue
*CHICAGO, ILL. (South Branch)	- - - - -	72nd and Stonely Island Avenue
CHICAGO, ILL. (Sales Office)	1010 Standard Oil Bldg.,	910 So. Michigan Ave.
CINCINNATI, O. (Showroom)	- - - - -	633 Walnut Street
*CLEVELAND, O. (Showroom)	- - - - -	4409 Euclid Avenue
*CLEVELAND, O. (W. S. Branch) (Showroom)	- - - - -	10800 Lorain Avenue
*COLUMBUS, O. (Showroom)	- - - - -	503-519 Park Street, So.
*DALLAS, TEX. (Showroom)	- - - - -	1200 Jackson Street
*DETROIT, MICH. (Showroom)	- - - - -	5943 Second Boulevard
*E. ST. LOUIS, ILL.	- - - - -	21 North Seventh Street
*ERIE, PA. (Showroom)	- - - - -	130 West Twelfth Street
*EVANSVILLE, IND.	- - - - -	Illinois and Governor Streets
*FORT WORTH, TEXAS. (Showroom)	- - - - -	1612 Houston Street
*GRAND RAPIDS, MICH.	- - - - -	72-78 Ellsworth Ave., S. E.
HAMILTON, CAN. (Showroom)	- - - - -	20-28 Jackson Street, West
*HOUSTON, TEX. (Showroom)	- - - - -	McKinney Ave. and Broadway
*HUNTINGTON, W. VA. (Showroom)	- - - - -	Second Avenue and Tenth Street
KANSAS CITY, MO. (Showroom)	- - - - -	201 Ridge Arcade Bldg., 916 Walnut St.
LONG ISLAND CITY, N. Y. (Showroom)	- - - - -	"Standard" Bldg. 556 Northern Blvd.
*LOS ANGELES, CALIF.	- - - - -	216-224 South Central Avenue
LOS ANGELES, CALIF. (Showroom)	- - - - -	919 West 7th Street
*LOUISVILLE, KY. (Showroom)	- - - - -	321 West Main Street
*MILWAUKEE, WIS.	- - - - -	17th Street and St. Paul Ave.
MILWAUKEE, WIS. (Showroom)	- - - - -	426 Broadway
*MOBILE, ALA. (Showroom)	- - - - -	306 North Royal Street
*NASHVILLE, TENN. (Showroom)	- - - - -	14 Cummins Station
*NEW ORLEANS, LA. (Showroom)	- - - - -	846 Baronne Street
NEW YORK, N. Y. (Showroom)	- - - - -	18 East 45th Street
*PEORIA, ILL.	- - - - -	112-114 Main Street
PHILADELPHIA, PA. (Showroom)	- - - - -	1215 Walnut Street
PITTSBURGH, PA. (Showroom)	- - - - -	Bessemer Building, 106 Sixth Street
*PITTSBURGH, PA.	- - - - -	445 Water Street
*PITTSBURGH, PA. (East End Branch)	- - - - -	6375 Penn Avenue
PITTSBURGH, PA. (Pipe Shop)	- - - - -	824 Second Avenue
*ST. LOUIS, MO. (Showroom)	- - - - -	4140 Forest Park Boulevard
*SAN ANTONIO, TEX. (Showroom)	- - - - -	1101 Broadway
*SAN DIEGO, CALIF.	- - - - -	726 West Beech Street
SAN DIEGO, CALIF.	- - - - -	"Standard" Exhibit, Spreckels Building
SAN FRANCISCO, CALIF. (Showroom)	- - - - -	349 Sutter Street
SAN FRANCISCO, CALIF. (Sales Office)	- - - - -	1000 Brannan Street
SEATTLE, WASH.	- - - - -	1242 First Avenue, South
*SHREVEPORT, LA.	- - - - -	1557-1559 Texas Avenue
*SOUTH BEND, IND.	- - - - -	850 South Fellows Street
SPRINGFIELD, MASS.	- - - - -	824-825 Third National Bank Building
SYRACUSE, N. Y.	- - - - -	303 Herald Building
*TOLEDO, O. (Showroom)	- - - - -	1002-1016 Summit Street
TORONTO, CAN. (Showroom)	- - - - -	59 Richmond Street, East
WASHINGTON, D. C. (Showroom)	200 Southern Bldg.,	15th & H Sts., N.W.
*WHEELING, W. VA. (Showroom)	- - - - -	46 Eighteenth Street
*YOUNGSTOWN, O. (Showroom)	- - - - -	458 West Federal Street

Service at "Standard" Branches In the cities marked (*) are carried complete lines of Plumbing and Heating Supplies; Farm Water Supply Systems; Tools and Supplies for Mills, Mines and Factories, also for the Water, Gas, Steam and Oil Industries. Write or call on nearest Branch.



HELPFUL place to plan your bathroom, kitchen and laundry—that describes a “Standard” Showroom.

Advice and information is available without obligation, or you may look around alone, if that is your wish. Every Showroom contains a wide variety of “Standard” Plumbing Fixtures and as new fixtures are placed on the market, advance showing is made in these Showrooms.




New ideas are demonstrated here—such as the Yardstick High Sinks, Five Foot Square Bathrooms and Elimination of Sink Legs.

Specification Service Free

You obtain the benefit of knowledge and experience in a “Standard” specification written for you. The specification enables you to obtain thoroughly competitive bids as “Standard” Plumbing Fixtures are nationally distributed and everywhere available to the trade.

All “Standard” Brass Goods fit “Standard” Plumbing Fixtures because they are made expressly for them. Specify “Standard” Plumbing Fixtures complete with “Standard” Brass Goods to insure satisfaction and one source of responsibility.



How to Order



O obtain the exact "Standard" Plumbing Fixtures you select, put your specification in writing and clearly designate the catalogue numbers of fixtures and brand name (when given). The numbers given "Standard" fixtures are universally known to the trade.

For example—when ordering bathroom equipment consisting of bath on page 8, lavatory on page 28, closet on page 41, order as follows:

"Standard" Woodmere Bath, P 2387 J, 5½ ft. size.

"Standard" Bruceton Lavatory, P 3130 C.

"Standard" DEVORO Closet, F 2100.

*When fixture is made in more
than one size, always specify size.*

This will insure your receiving the fixture exactly as shown complete with the nicked brass fittings. These fittings are specified in each description by number as for example; the Bruceton Lavatory P 3130 C is described as having K 715, K 792 and K 974 Fittings. These brass goods numbers are given so you may see illustrations of the fittings shown separately in the large 400 page "Standard" catalogue, when conferring with Plumbers, Jobbers, Architects and Contractors.

Many other fixtures and fittings are shown in "Standard" General Catalogue which should be seen to appreciate the extent of "Standard" Plumbing Fixtures and the ability of the Standard Sanitary Mfg. Co. to serve you.

Your Plumber can obtain without difficulty, any "Standard" fixtures you select. Place your order as early as possible to prevent any unforeseen delay. "Standard" Plumbing Fixtures cost no more than similar fixtures of other manufacture.

IMPORTANT NOTICE TO PURCHASERS

To prevent misunderstandings, remember that the prices in "Standard" catalogues, booklets and advertisements do not include freight to all points, especially in the far West and the extreme South. Neither do the prices include piping, labor or other cost of installing.



A "Standard" Bathroom in a Space Five Feet Square

A complete individual bathroom with all the facilities of a larger room can now be built into a space as small as five feet square, inside.


Such a bathroom is not a miniature. In it can be placed a full size five foot built-in

bath with shower and shower curtain, the space-saving lavatory illustrated and regular closet.

A small space partitioned off—a large closet utilized and the advantages of a similar arrangement can be yours. Such a bathroom can be installed in or adjoining every bedroom.

FIXTURES IN THIS ROOM ARE

"Pembroke" Recess Bath, 5 ft., P 2317A	— \$137.85†
"Marcosa" Lavatory, 14x26 inch, F 317 T (As shown on Page 39, except with K 1041 Faucets)	— — — — — 43.10
"Expulso" Closet, F 2228, as shown on Page 45	— — — — — 62.75
Total Price	— — — — — \$243.70



†For Bath without Shower, Curtain Rod and Duck Curtain, deduct — — \$39.20

Various combinations of "Standard" Plumbing Fixtures can be made for very inexpensive bathrooms. *As a suggestion we mention the following fixtures:

"Essex" Bath, 5 1/2 foot, P 2500 D (Page 22)	— — — — — \$ 57.85
"Othello" Lavatory, 18x21 inch, P 4205 R (Page 31)	— — — — — 25.25
"Ejecto" Closet, F 2238 (Page 46)	— — — — — 49.90
Total Price	— — — — — \$133.00

*These fixtures require more than five feet square space.




"Standard" Pembroke Bathroom—Design A

THE CHARM OF A BEAUTIFUL BATHROOM

THE beautiful bathroom of today is the center of home health and comfort. No other part of the home possesses the charms peculiar to the ideally equipped bathroom.

While bathrooms have grown in beauty and utility in recent years, it remained for the enameled all over, built-in bath, made completely in one-piece, to add the finishing touch.



FIXTURES IN THIS BATHROOM ARE

"Pembroke" Recess Bath, 5 1/2 foot, P 2315 B S (As shown on page 19, except with "Lift Off" China Soap Dish), complete with No. 22 Bath and Shower Combination Fitting	\$133.05
"Laton" Lavatory, 22x27 inch, P 3117 H S (Page 29)	61.75
"Devoro" All White Closet, F 2100 (Page 41)	77.80
Total Price	\$272.60




"Standard" Woodmere Bathroom—Design B

ENRICHES THE ENTIRE HOME


A FINE bathroom, richly simple in its fixtures, appointments and arrangement, offers far more than its cost in the satisfaction it gives.

Every modern home should have a bathroom like that shown above or on preceeding page. While these bathrooms cost more than the bathroom with tub on legs, their years of assured service will long outlive the difference in the first cost.



FIXTURES IN THIS BATHROOM ARE

"Woodmere" Corner Bath, 5 1/2 foot, P 2387 X (See Page 8, this Catalogue for Bath; Page 145 in General Catalogue for Combination No. 99 Bath, Shower and Spray Fitting and Page 185 in General Catalogue for K 291 Curtain Rod and Curtain				\$227.90
"Penwood" Lavatory, 22x27 inch, F 118 G (Page 34)				92.45
"Purimo" Closet, F 2211 (Page 44)				85.55
Total Price				\$405.90



"Woodmere" Bath, Corner Pattern—P 2387 J
(See opposite page)

"Woodmere" Bath—Corner Pattern


(See illustration on opposite page)

THE "Woodmere" is the ideal enameled built-in bath in that it embodies every feature the most discriminating purchaser could desire. It is made complete in one-piece, enameled all over, with slope end, straight sides and wide flat bottom, which gives it very roomy bathing space.

It builds into the floor and walls. The depth inside is 17 inches and height from floor $17\frac{1}{2}$ inches and sets $\frac{1}{2}$ inch into floor. The width from finished wall line is $32\frac{1}{4}$ inches and the rim with splash strip extends $\frac{3}{4}$ inch into wall.


The fitting shown is K 300, concealed type and has china B handles marked H, C and Drain. Both hot and cold water enter through a nickel-plated nozzle on the end near the top.

The "Woodmere" is made for building into either right or left corner and with supply and drain fitting at end of bath as shown, or exposed at open end.




P 2387 J

To secure complete, for left corner and outlet in left end, K 300, fitting concealed in end wall, order "Standard" Woodmere Bath, P 2387 J, in size desired. For right corner and outlet in right end, order P 2382 J.




P 2382 J



P 2385 J


For left corner with outlet in right end, K 370, fitting exposed, order P 2385 J. For right corner with outlet in left end, order P 2380 J. See diagrams for guide when ordering.



P 2380 J

If possible visit a "Standard" Showroom to inspect the Woodmere Bath.

	5 feet	$5\frac{1}{2}$ feet
P 2387 J or P 2382 J - - - - -	\$131.70	\$137.75
P 2385 J or P 2380 J - - - - -	139.15	145.20
Length over all of Bath ($\frac{3}{4}$ inch less from finished wall line) - - - - -	63 in.	69 in.



"Standard"


"Woodmere" Bath, Recess Pattern—P 2392 NS
(See opposite page)

"Woodmere" Bath—Recess Pattern


(See illustration on opposite page)

THE "Woodmere" recess pattern is exactly the same type as the corner pattern except that it is made to install in a recess. The depth inside and height from floor are the same in both. The width from finished wall line is $32\frac{1}{4}$ inches and the rim with splash strip extends $\frac{3}{4}$ inch into wall. The supply and drain fitting shown is K 325 S, concealed type, and has china B handles marked H and C. Both hot and cold water enter through a nickel-plated over-rim nozzle. Nozzle has removable China Soap Dish. Can also be secured with fittings in wall at right end. Valves are equipped with RE-NJ Bronze Sleeve.

To secure complete, exactly as shown, with K 325 S fitting and outlet in left end, order "Standard" Woodmere Bath, Recess Pattern, P 2392 N S. With fitting and outlet in right end order P 2390 N S. Always state size when ordering. See diagrams for location of fittings and outlets.




P 2390 N S



P 2392 N S

		5 feet	5½ feet
P 2390 N S or P 2392 N S	- - - - -	\$122.40	\$128.75
Length over all of Bath ($1\frac{1}{2}$ inch less between			
finished wall lines)	- - - - -	63 in.	69 in.

"Standard" Built-in Baths are light in weight, massive in appearance, of finest quality enamel, easily cleaned. They are guaranteed to be exactly as represented. The brass fittings (which are marked "Standard") are made expressly for these fixtures and it is important that you insist upon having genuine "Standard" brass fittings on your fixtures. "Standard" fittings cost no more than others.




"Pembroke" Bath, Corner Pattern—P 2305 J
(See opposite page)

"Pembroke" Bath—Corner Pattern

(See illustration on opposite page)


THE "Pembroke" built-in bath is made complete in one-piece, enameled all over, has slope end and the sides have a greater slope than those of the "Woodmere" bath. The "Pembroke" is therefore narrower at the bottom than the "Woodmere." The curved lines of the exterior of the "Pembroke" are also less pronounced than those of the "Woodmere." The "Woodmere" and "Pembroke" are of exactly the same quality.

The "Pembroke" is 17 inches deep inside, $17\frac{1}{2}$ inches high from floor and $29\frac{1}{4}$ inches wide from finished wall line. The fittings are the same as on the "Woodmere." Valves are equipped with RE-NJ Bronze Sleeve.



P 2310 J

To secure complete, exactly as shown, for right corner with outlet in left end, K 370, fitting exposed, order "Standard" Pembroke Bath P 2305 J, in size desired. For left corner with K 370 exposed fitting and outlet in right end, order P 2310 J.




P 2305 J



P 2312 J


For right corner with outlet in right end, K 300, fitting concealed in end wall, order P 2307 J. For left corner with outlet in left end, K 300, fitting concealed in end wall, order P 2312 J.



P 2307 J

See diagrams for location of fittings and outlets.

		4½ feet	5 feet	5½ feet	6 feet
P 2305 J or P 2310 J	- - - -	\$109.95	\$113.85	\$119.90	\$153.05
P 2307 J or P 2312 J	- - - -	102.50	106.40	112.45	145.60
Length over all of Bath ($\frac{3}{4}$ inch less from wall line)		54 in.	60 in.	66 in.	72 in.




"Pembroke" Bath, Recess Pattern—P 2317 N
(See opposite page)

"Pembroke" Bath—Recess Pattern

(See illustration on Opposite Page)

THE "Pembroke" recess pattern is exactly the same type as the corner pattern except that it is made to install in a recess. The depth inside and height from floor are the same in both. The width from finished wall line is $29\frac{1}{4}$ inches, and the rim with splash strip extends $\frac{3}{4}$ inch into wall.

The supply and drain fitting shown, K 325, is the concealed type and has china B handles marked H and C. Both hot and cold water enter through a nozzle over rim at the end. Valves are equipped with **RE-NU** Bronze Sleeve.



See diagrams for location of fittings and outlets.

	4½ feet	5 feet	5½ feet	6 feet
P 2315 N or P 2317 N	— — \$ 89.55	\$ 93.30	\$ 99.70	\$131.15
Length over all of Bath (1½				
inch less between finished				
wall lines)	— — — — — 52¾ in.	58¾ in.	64¾ in.	70¾ in.



"Pembroke" Bath with Shower—P 2322 A

THE Pier Pattern Pembroke is described on opposite page. This Bath, complete with Combination No 11 Shower and Bath Fitting, makes a particularly fine installation. It has K 151 Mixing Valve Shower with K 100, $\frac{1}{2}$ -inch Mixing Valve. The purpose of the Valve is to regulate, by simply turning one handle, the temperature of the water for your shower. The Valve works easily and is thoroughly dependable. Furnished in china, K 100 or nickel-plated finish, K 101. The nickel-plated Shower Head is adjustable and has Volume Regulator.




K 100
"Standard"
Mixing Valve
Patented
Nov. 7, 1916

The Bath fittings are the same as described on opposite page for Pembroke Bath without Shower P 2322 J.


"Pembroke" Bath—Pier Pattern

(See illustration on opposite page)


THE "Pembroke" pier type pattern is the same as the corner and recess patterns in construction, except that it has a use distinctly its own. As it is built-in at back only, it can be set in center of a wall, and as both ends are free, other fixtures can be placed on each side.



P 2322 A



P 2322 J



P 2319 J


The supply and drain fitting shown is of the concealed type and has $\frac{1}{2}$ " valves with china B handles marked H, C and Drain. Both hot and cold water enter through a nozzle at the end near the top.



P 2320 A



P 2320 J




P 2321 J

Principal wearing parts of each Valve are encased in **RE-NU** Bronze Sleeve.

To secure complete, with No. 11 Bath and Shower Combination Fitting exactly as shown, K 302 Bath fitting concealed in back wall, for right outlet, order "Standard" Pembroke Bath, P 2322 A. For left outlet, order P 2320 A. To secure as shown, but without Shower, with outlet in right end, order P 2322 J. For outlet in left end, order P 2320 J. Without Shower and with K 370 exposed fitting with $\frac{1}{2}$ " supplies, and outlet in left end, order P 2319 J. With fitting and outlet in right end, order P 2321 J. Specify size desired.

	5 feet	5 $\frac{1}{2}$ feet	6 feet
P 2322 A or P 2320 A.....	\$192.25	\$198.70	\$211.05
P 2322 J or P 2320 J.....	142.75	149.20	161.55
For fitting with $\frac{3}{4}$ -inch Valves, add.....	2.10	2.10	2.10
P 2319 J or P 2321 J.....	148.10	154.55	166.90
For fitting with $\frac{3}{4}$ -inch Supplies, add.....	3.20	3.20	3.20
Length over all of bath.....	61 $\frac{1}{4}$ in.	67 $\frac{1}{4}$ in.	73 $\frac{1}{4}$ in.
Width over all of bath ($\frac{3}{4}$ inch less from wall line)	30 in.	30 in.	30 in.




"Pembroke" Bath with Shower—P 2312 C

THE exhilarating pleasure and convenience of Shower bathing has made the inclusion of a shower bath imperative in the equipment of the complete bathroom. The Pembroke Bath is described on page 13. The handles and escutcheons of Combination No. 97 Bath and Shower Fitting are china. Shower head and curtain rod are nickel-plated. The curtain is duck of proper weight to insure service. Adjustable shower head and mixing valve which tempers the water for shower and bath are desirable features. Fitting is regularly furnished with separate Control Stop for Bath and Shower and $\frac{3}{4}$ -inch K 100 Mixing Valve.

To secure complete, exactly as shown, for left corner, order "Standard" Pembroke Bath and Shower, P 2312 C, in size desired. For right corner with outlet in right end, order P 2307 C.

	4 $\frac{1}{2}$ feet	5 feet	5 $\frac{1}{2}$ feet	6 feet
P 2312 C or P 2307 C - - - -	\$153.25	\$157.15	\$163.20	\$197.30

"Standard" PLUMBING FIXTURES




"Pembroke" Bath with Shower—P 2315 B

THE small additional cost makes the shower over the bathtub the dictate of good judgment. The Pembroke Recess Bath is described on page 15. The handles and escutcheons of Combination No. 22 Bath and Shower Fitting are china, beautiful and easily cleaned. Shower head and curtain rod are nickel-plated brass. The shower curtain is good quality duck. Shower head is adjustable so that spray is directed as desired and water can be prevented from wetting the hair. Valves have **RE-NU** feature. Regularly furnished Bath Valves $\frac{1}{2}$ inch, Shower Valves $\frac{1}{2}$ inch.

To secure complete, exactly as shown, order "Standard" Pembroke Bath and Shower, P 2315 B, in size desired. For outlet in left end, order P 2317 B.

P 2315 B or P 2317 B - - -	4 $\frac{1}{2}$ feet	5 feet	5 $\frac{1}{2}$ feet	6 feet
	\$119.15	\$122.90	\$129.30	\$162.10
If with $\frac{3}{4}$ " Bath Valves, add - -	2.10	2.10	2.10	2.10





"Conred" Bath—P 2460 J

Patented January 7, 1913—Patented November 11, 1913



THE "Standard" Conred Bath is the original and first genuine one-piece pattern enameled Built-in Bath, also the simplest and least expensive. It has a 3-inch roll rim, is 17 inches deep inside at outlet, the rim is 17½ inches from floor, and sets in floor ½ inch.

The width is 29 inches, which allows for rim to extend ½ inch into wall, and there is a "splash strip" to prevent any water finding its way back of the wall.

The K 375 supply fitting is the same type as shown on page 12, supplies are ½ inch. This Bath is furnished enameled all over or enameled inside only with one coat of paint on outside. Specify when ordering. Valves have the RE-NU feature.




To secure complete, exactly as shown, for left corner with outlet in right end, order "Standard" Conred Bath, P 2460 J in size desired. For right corner with outlet in left end, order P 2461 J. For left corner with outlet in left end and K 300 fitting concealed in left wall, order P 2470 J. For right corner with outlet in right end and K 300 fitting concealed in right wall, order P 2471 J.



	4½ feet	5 feet	5½ feet
P 2460 J or P 2461 J, Enameled all over - - -	\$91.70	\$95.20	\$100.90
P 2460 J or P 2461 J, Enameled inside only - - -	78.95	82.45	88.20
P 2470 J or P 2471 J, Enameled all over - - -	84.25	87.75	93.45
P 2470 J or P 2471 J, Enameled inside only - - -	71.50	75.00	80.75
Length over all of Bath (½ inch less from wall line)	54½ in.	60½ in.	66½ in.

"Standard" PLUMBING FIXTURES




"Recona" Bath—P 2480 VS

Patented January 7, 1913—Patented November 11, 1913


THE "Standard" Recona Bath is a mate to the "Conred," the difference being the "Recona" is for installing in a recess. The description of the "Conred" applies to the "Recona." It is just a question of whether your construction calls for a corner or recess fixture.

The depth inside and height from floor are the same in both patterns.

The K 330 S fitting is the concealed type with $\frac{1}{2}$ inch valves with china B handles, marked H and C, and removable China Soap Dish. Hot and cold water enter through a nickel-plated nozzle on the end near top. No part of fitting is exposed except grating in bottom of bath, and supply nozzle through overflow in the end. Principal wearing parts of each valve are encased in **RE-NU** Bronze Sleeve.



P 2480 VS




P 2481 VS

To secure complete, exactly as shown, with K 330 S fitting and outlet in right end order "Standard" Recona Bath, P 2480 VS, in size desired.

If wanted with fitting and outlet in left end, order P 2481 VS. No difference in cost.

	4 $\frac{1}{2}$ feet	5 feet	5 $\frac{1}{2}$ feet
P 2480 VS or P 2481 VS, Enameled all over — —	\$81.80	\$85.35	\$91.15
P 2480 VS or P 2481 VS, Enameled inside only —	72.55	76.05	81.80
Length over all of Bath (1 inch less between finished wall lines) — — — — —	53 $\frac{1}{2}$ in.	59 $\frac{1}{2}$ in.	65 $\frac{1}{2}$ in.

"Standard" PLUMBING FIXTURES



"Essex" Bath—P 2500 D

THE "Essex" Bath has a 3-inch roll rim, is 30 inches wide over rim, 17 inches deep inside at outlet and the rim is 22½ inches from floor. The K 404 Nickel-plated Combination Fitting consists of double bath faucet supplying hot and cold water through one nozzle, ball offset couplings and ½ inch supply pipes, drain and overflow pipe with chain and rubber stopper. Bath furnished regularly with one coat of paint on outside.

"Essex" Bath—P 2500 U (With K 405 RE-NU Combination Bath and Shampoo Fitting)

Same as above except that it has a RE-NU Bath Faucet like shown on page 23, but with rubber hose and shampoo attachment, instead of riser pipe.


To secure either Bath complete, exactly as shown, order "Standard" Essex Bath P 2500 D or P 2500 U, in size desired.



P 2500 U


	4 feet	4 ½ feet	5 feet	5 ½ feet	6 feet
P 2500 D - - - - -	\$52.95	\$52.95	\$52.95	\$57.85	\$68.70
P 2500 U - - - - -	60.40	60.40	60.40	65.30	76.15
If with Albadent Exterior Finish, add - - - - -	9.75	9.75	9.75	9.75	9.75

ALBADENT EXTERIOR FINISH FOR BATHS ON PAGES 22 AND 23
For the Albadent finish, the exterior of tub is thoroughly sand-blasted and all burrs removed so that a smooth surface is obtained. The white finish is then applied in a special manner which presents a very pleasing and glossy effect.



"Essex" Bath on Base—P 2501 F

THIS bath is the same as that shown on previous page; measurements and finish being the same. The K 411 Nickel-plated Combination Supply and Imperial Drain Fitting has double bath faucet.



P 2501 Q


"Essex" Bath—P 2501 Q
(With K 412 **RENU** Combination Bath
and Shower Fitting)

Same as above, except with K 412 Combination Fitting consisting of **RENU** Bath Faucet with Transfer Valve, shower head and 24-inch riser pipe.

A half turn of the Transfer Valve diverts the tempered water from the bath to the shower head; also serves as a control valve, regulating to any desired pressure the flow of water through the shower.

To secure either Bath complete, exactly as shown, order "Standard" Essex Bath P 2501 F or P 2501 Q, in size desired.

	4 feet	4 ½ feet	5 feet	5 ½ feet	6 feet
P 2501 F - - - - -	\$67.25	\$67.25	\$67.25	\$72.45	\$85.75
P 2501 Q - - - - -	76.80	76.80	76.80	82.00	95.30
If with Albadent Exterior					
Finish, add - - - - -	11.45	11.45	11.45	11.45	11.45
Length over Rim, Bath only -	48 ¼ in.	54 ¼ in.	60 ¼ in.	66 ¼ in.	72 ¼ in.



Sitz Bath P 2564 J

Dimensions

Front to Back over-all	- - -	31"
Length over-all, Bath only	- - -	30"
Height to Top of Rim at back	- - -	21"
Wall to Front	- - -	30 1/4"
Depth Inside at outlet	- - -	10"
Height to Top of Rim at Front	- - -	15"


To secure complete, exactly as shown, order P 2564 J.....\$187.30

If wanted same as shown and including back spray and bidet, order P 2565 J..... 253.95

THIS Foot Bath builds in at back and floor and is enameled all-over. Valves are concealed in back wall and have china B handles marked H, C and Drain. Water enters through inlet fitting in back near top of rim.

Dimensions

Front to Back over-all	-	25 1/2"
Height to Top of Rim	-	14 1/2"
Length over-all, Bath only	-	26"
Wall to Front	- - -	24 3/4"
Height over-all	- - -	15"
Depth Inside	- - -	14"



Foot Bath P 2576 J

To secure complete, exactly as shown, order P 2576 J - \$120.75

If wanted same as shown except with exposed fitting similar to those on P 2564 J shown above, fitting on right side, order P 2575J.....\$128.20

Fitting can be furnished on left side if specified.

"Standard" PLUMBING FIXTURES

THIS is a fixture which should appeal to the entire family. The head shower can be used independently of, or together with the sprays. The K 100 Mixing Valve serves both the Body Sprays and the Head Shower. Upper RE-NU valve controls supply to head shower, and the lower RE-NU valve controls supply to sprays. The nine sprays have adjustable ball joints which permit their being set to any desired angle.


To secure as shown, less Door, Receptor and Drain, order K 111 - - - - - \$123.00

Add for P 2515 36x36" Receptor and Drain - - - 71.75

Add for P 2515 42x42" Receptor and Drain - - - 96.10


Shower with Glass Door, P 2515 36x36" Receptor and Drain - - - - - 484.75

Shower with Glass Door, P 2515, 42x42" Receptor and Drain - - - - - 509.10



Shower—K 111

Number Covers Shower Only



Shower—K 113

Number Covers Shower Only

THIS Shower is the same as K 111, except it has six body sprays in place of nine, deep pattern Receptor and no glass door. It is an ideal Shower where recess space is available. With tiled floor in place of Receptor, any width recess can be used. Receptor is furnished only when ordered.

To secure as shown, less Receptor and Drain, order K 113 - - - - - \$103.45

Add for P 2525, 36x36" Receptor and Drain - - - 80.05

Add for P 2525, 42x42" Receptor and Drain - - - 102.00

Glass door cannot be furnished with P 2525 Receptor.


K 113 Shower with Glass Door, P 2515, 36x36" shallow Receptor and Drain - 465.20

K 113 Shower with Glass Door, P 2515, 42x42" shallow Receptor and Drain - 489.55

THIS is one of the newer types of nickel-plated rectangular curtain rod Showers. It has adjustable head directing stream to any angle. The K 100 mixing valve tempers water for Shower and Shampoo, each controlled by separate China B Handle RE-NU Valves.

This fixture is readily and inexpensively installed over a Built-in Bath. Furnished with Duck Curtain.

To secure complete, exactly as shown, order "Standard" Shower Combination, K 163 - \$57.75



Shower—K 163



Shower and Bath
Faucet—K 668

Number does not include Bath

THIS is the "Every Home" Shower, so named because price and adaptability should cause it to be installed in new and old bathrooms. Shower has nickel-plated high riser pipe, adjustable ball joint Shower Head, curtain rod and large duck curtain. The rectangular curtain rod allows ample room.

Double Bath Faucet with Transfer Valve supplies both Bath and Shower.

To secure "Standard" Shower and Faucet with Transfer Valve as shown, less Bath, order K 668 - - - - - \$32.30


IN the "Standard" General Catalogue are many Showers, from the very simple to the many varied, elaborate Showers designed for all preferences and conditions. The real essentials of the finest Showers are the Shower Head and Mixing Valve. This combination is shown here.

Water is tempered by the K 100 $\frac{1}{2}$ inch Mixing Valve which is safe, dependable and the parts few and accessible. Maximum high temperature of water to be delivered can be set by a small adjusting screw, provided the cold supply is not entirely shut off. This feature is a safeguard against scalding and insures proper mixture. Volume Control in Shower Head regulates the force without changing the mixture.



Shower K 151


To secure exactly as shown, order "Standard" Shower K 151 - \$28.80



Shower K 200

A Shower reduced to its simplest form though very practical and satisfactory is the one shown here. Hot and cold water supply is controlled by two valves with china B handles. Cast Brass Shower Head has ball joint to adjust stream to any angle.

To secure exactly as shown, order "Standard" Shower K 200 - \$13.85




Copley—P 3057 G

To secure complete, exactly as shown, order "Standard" Copley Lavatory, P 3057 G, in size desired.

"Standard" RE-NU Valves have internal bronze sleeves which, with the stems, comprise the only parts subject to wear. These when worn can be replaced at a nominal cost.

THE "Bruceton" is enameled—33 inches long and 24 inches wide. Hot and cold water is supplied through one spout by K 715 Malta Combination Fitting with RE-NU valves. China B handles are marked H and C. Lift Drain has china knob. K 792 supply pipes have valves below bowl, marked H and C. Equipped with K 974 1¼-inch trap, \$88.65.

To secure complete, exactly as shown, order "Standard" Bruceton Lavatory, P 3130 C.



Bruceton—P 3130 C

THE "Copley" is enameled, with oval top, and is made in two sizes. Has K 700 York Combination Supply and Lift Drain Fitting with RE-NU valves, supplying tempered water through one spout. China B handles and escutcheons reduce nickel-plating to a minimum.


K 792 supply pipes have valves below bowl with handles marked H and C. Equipped with K 960 1¼" trap.

Size, 18x27 inches — \$69.10

Size, 22x33 inches — 79.95

"Standard" PLUMBING FIXTURES


THE "Laton" Lavatory has proved to be one of our most popular patterns. It is enameled, and like the one shown below is made in three sizes. The K 700 York Combination Fitting has RE-NU valves with china handles marked H and C, and Lift Drain with china knob. K 792 supply pipes have valves beneath bowl so either hot or cold water may be shut off, if necessary, without shutting off water to the rest of bathroom. Equipped with K 960 1¼-inch trap.



Laton—P 3117 G

Size, 20x24 inches	- - - - -	\$56.60
Size, 22x27 inches	- - - - -	61.75
Size, 22x30 inches	- - - - -	67.10

To secure complete, exactly as shown, order "Standard" Laton Lavatory, P 3117 G in size desired




Laton—P 3117 H S

THIS "Laton" is fitted with the popular K 710 S Donora Combination Fitting with "lift-off" China Soap Dish. Fitting has RE-NU Valves supplying tempered water through one spout, china B handles and escutcheons, chain and rubber stopper. Lavatory equipped with K 792 supply pipes and K 960 1¼" trap.

Size, 20x24 inches	-	\$56.60
Size, 22x27 inches	-	61.75
Size, 22x30 inches	-	67.10

To secure complete, exactly as shown, order "Standard" Laton Lavatory, P 3117 HS in size desired.




Romana—P 3397 N

Size 18 x 21 inches - - - - - \$37.50

To secure complete, exactly as shown, order "Standard" Romana Lavatory P 3397 N

THE "Standard" Ophir is the largest seller of its type and shape. It is extremely serviceable and its simple lines appeal to many purchasers.

The "Ophir" is enameled, and is furnished with under side of slab and bowl painted one coat. It is supported on hanger and is equipped with K 1033 faucets with handles marked H and C, K 760 Princess Lift Drain, K 791 supply pipes and K 960 1 1/4-inch trap.



Ophir—P 3847 E

To secure complete, exactly as shown, order "Standard" Ophir Lavatory, P 3847 E, in size desired.


Sizes - - - - -	18x24 inches	20x24 inches	22x27 inches
	\$36.00	\$40.00	\$53.75

Can also be furnished with K 757 Chain Stay with Chain, K 758 Plug and Rubber Stopper and K 1013 Faucets at a reduction of \$5.70. If wanted, specify P 3847 NZ.

TH E "Standard" Othello is enameled, and is furnished in two sizes. Supported on concealed hanger and equipped with K 758 plug and rubber stopper, K 1010 faucets marked H and C, K 791 supply pipes and K 960 1¼-inch trap.

Size 17 x 19 inches - \$23.80
Size 18 x 21 inches - 25.25

To secure complete, exactly as shown, order "Standard" Othello Lavatory P 4205 R, in size desired.



Othello—P 4205 R

The 18 x 21 inch size can be furnished with K 760 Lift Drain instead of K 758 plug and stopper. If desired, order P 4207 R - - - \$29.90




Marco—P 4215 T

Size 14 x 26 inches - - - - - \$32.15

To secure complete, exactly as shown, order "Standard" Marco Lavatory P 4215 T

Can also be furnished with K 763 Princess Drain with Lever Handle through lavatory back, and K 1011 Lever Handle Faucets. If desired, order P 4219 W - - - - - \$36.35

THE "Standard" Anglo is a substantial and very simple enameled corner lavatory. It is furnished with soap dish cast in slab and under side of slab and bowl painted white.



Anglo—P 4955 N

It is supported on two concealed hangers and is equipped complete with K 1013 faucets marked H and C, chain, K 758 plug and rubber stopper, K 791 supply pipes and K 960 1 1/4" trap.

To secure complete, exactly as shown, order "Standard" Anglo Lavatory, P 4955 N in size desired. If without integral soap dish and with K 760 Lift Drain and K 1011 China Lever Handle Faucets, order P 4957 W.

		Sizes	
		16 Inch	19 Inch
P 4955 N	- - - - -	\$27.40	\$30.05
P 4957 W	- - - - -	31.55	34.20

THE "Standard" Beverly is enameled. It is furnished regularly with under side of slab and bowl painted white. Supported on concealed hanger and equipped with K 1010 faucets, chain, K 758 plug and rubber stopper, K 791 supply pipes and K 960 1 1/4-inch trap.

To secure complete, exactly as shown, order "Standard" Beverly Lavatory, P 4335 R in size desired.

Size 17 x 19"	- - -	\$21.35
Size 18 x 21"	- - -	23.90

The 18 x 21" size can be furnished with K 760 Lift Drain and K 1011 China Lever Handle Faucets. If desired, order P 4337 W - - - - \$28.55



Beverly—P 4335 R

"Standard" PLUMBING FIXTURES

THE "Standard" Alva is the smallest, simplest and least expensive enameled lavatory we make. It is $14\frac{3}{4}$ inches wide, 16 inches from back to front and is furnished with under side of slab and bowl painted white.


It is supported on concealed hanger and equipped with K 1010 faucets, chain, K 758 plug and rubber stopper, K 791 supply pipes and K 960 $1\frac{1}{4}$ -inch trap — — — — — \$20.50



Alva—P 4365 R

To secure complete, exactly as shown, order "Standard" Alva Lavatory, P 4365 R

THE "Standard" Everett is an inexpensive corner enameled lavatory made in two sizes, 16" and 19" each from corner to end on sides. It is furnished with under side of slab and bowl painted white.



Everett—P 5085 N

It is supported on concealed hangers and equipped with K 1013 faucets, chain, K 758 plug and rubber stopper, K 791 supply pipes and K 960 $1\frac{1}{4}$ -inch trap.


Size 16" — — — — — \$23.70

Size 19" — — — — — 29.45

To secure complete, exactly as shown, order "Standard" Everett Lavatory, P 5085 N, in size desired.

The 19" size can also be furnished with K 760 Lift Drain and K 1011 Faucets. If desired order P 5087 W.....\$33.60

"Standard" PLUMBING FIXTURES



Penwood—F 118 G

Patented Nov. 30, 1909

THE "Standard" Vitreous China "Penwood" Lavatory has unusual features. Its simplicity of design, and minimum of exposed nickel-plating make it easy to clean. The Lift Drain with china knob and metal stopper is the most sanitary drain made. This lavatory has oval bowl and Vitreous China pedestal. Hot and cold water enter through **RE-NU** Valves and Integral China Spout. The K 792 supply pipes have valves below bowl marked H and C. The K 960 trap is $1\frac{1}{4}$ inch size.

To secure complete, exactly as shown, order "Standard" Penwood Lavatory, F 118 G, in size desired.


Sizes		
21x24 inches	22x27 inches	24x30 inches
\$83.10	\$92.45	\$111.15

Penwood 21 x 24 inch size has indented Soap Dish.

Combination Fitting has valves with **RE-NU** bronze sleeve which, with the stem, comprise the only parts subject to wear. These when worn, can be replaced at a nominal cost, avoiding the expense of a new fitting.

Sectional view of the "Penwood" illustrates the integral Mixing Chamber and supply opening. This feature provides for a single stream of hot, cold or tempered water directed toward center of bowl, which facilitates washing in running water or filling of drinking glass.


Metal above the slab is practically eliminated. Note the anti-splash rim, also that slope of bowl accelerates drainage.



Sectional View of Penwood Bowl


THE "Standard" Blackford is the most popular pedestal type vitreous china lavatory. Equipped with the K 711 S Donora Combination Fitting with "Lift-off" China Soap Dish and RE-NU Valves supplying tempered water, it is a beautiful and convenient fixture. Has K 792 supply pipes with valves and K 960 1¼-inch trap.

To secure complete exactly as shown, order "Standard" Blackford Lavatory, F 107 HS, in size desired.



Blackford—F 107 H S

Sizes 20 x 24 inches	22 x 27 inches	24 x 30 inches
\$76.00	\$85.35	\$104.10



Blackford—F 107 G


THIS "Standard" Vitreous China "Blackford" Lavatory will correspond perfectly with any other fixtures which you may choose for your bathroom. It has K 701 York Combination hot and cold water Fitting with RE-NU valves with water entering through exposed spout and has K 792 supply pipes with valves below bowl. Equipped with K 960 1¼-inch trap.

To secure complete, exactly as shown, order "Standard" Blackford Lavatory, F 107 G, in size desired.

Sizes 20 x 24 inches	22 x 27 inches	24 x 30 inches
\$76.00	\$85.35	\$104.10

Blackford 20 x 24 inch size has indented soap dish.

"Standard" PLUMBING FIXTURES



Randall—F 257 G

Size, 18x20 inches	- - - - -	\$60.10
Size, 20x24 inches	- - - - -	76.00


Randall 18 x 20" size is furnished with open overflow

THIS "Standard" Vitreous China "Randall" Lavatory with K 701 York Combination hot and cold water Fitting with RE-NU valves, Lift Drain and hooded overflow is a pleasing fixture and becomes a valuable addition to any bathroom. It has K 792 supply pipes with valves below bowl and K 960 1 1/4-inch trap.

To secure complete, exactly as shown, order "Standard" Randall Lavatory, F 257 G, in size desired.

THE "Standard" Vitreous China "Hibben" Lavatory is similar to the "Randall" except that it has no back. Hot and cold water enters through one spout of K 701 York Combination Fitting which has RE-NU valves. K 792 supply pipes have valves below bowl with handles marked H and C. Equipped with K 960 1 1/4" trap.

To secure complete, exactly as shown, order "Standard" Hibben Lavatory, F 207 G, in size desired.



Hibben—F 207 G


Size, 18x20 inches	- - - - -	\$55.45
Size, 20x24 inches	- - - - -	62.00

Hibben 18x20" size is furnished with open overflow

"Standard" PLUMBING FIXTURES


STURDY simplicity of this "Standard" Vitreous China "Merchant" Lavatory, gains for it instant approval. It has a back 7½ inches high. Equipped with K 711 Donora Combination hot and cold water Fitting with RE-NU valves, china handles and escutcheons, chain and rubber stopper, K 792 supply pipes with valves below bowl and K 960 1¼-inch trap.

To secure complete, exactly as shown, order "Standard" Merchant Lavatory, F 277 H.



Merchant—F 277 H

Size, 21x24 inches - - - - - \$74.65




Maco—F 227 G

FOR those preferring the above lavatory, but without back, the "Standard" Vitreous China "Maco" lavatory is provided. Has K 792 supply pipes with valves with handles marked H and C, K 960 1¼" trap. Hot and cold water is supplied through K 701 York Combination Fitting. Fitting has RE-NU Valves with china handles and escutcheons.

To secure complete, exactly as shown, order "Standard" Maco Lavatory, F 227 G.

Size, 21x24 inches - - - - - \$62.00



Lucerne F 357 WZ


To secure complete, exactly as shown, order "Standard" Lucerne Lavatory, F 357 WZ, in size desired.

Size, 18x20 inches, Back, 6 inches	- - -	\$41.60
Size, 20x24 inches, Back, 7 inches	- - -	\$7.50

Lucerne 20 x 24 inch size is furnished with hooded overflow and with enameled wall brackets, in addition to wall hanger.

THE "Buena," as its name implies, is indeed a good looking, good service vitreous china lavatory. It is rigidly supported on brackets fastened to wall studding. Equipped with K 1010 Faucets, K 791 supply pipes having wheel handle valves, K 981 "Lift Off" China Soap Dish, chain and rubber stopper and K 960 1 1/4-inch trap.

To secure complete, exactly as shown, order "Standard" Buena Lavatory, F 327 RS in size desired.




Buena—F 327 RS

Size 18x20 inches	- - - - -	\$46.50
Size 20x24 inches	- - - - -	\$3.05

Buena 18 x 20 inch size is furnished with open overflow.

"Standard" PLUMBING FIXTURES


THE "Standard" Vitreous China "Marcosa" Lavatory takes up very little space and for this reason makes an excellent fixture for the smaller type of bathroom. It measures 26½ inches along the wall and extends only 14¼ inches from the wall to the front. Has small faucets, K 1010, marked H and C, K 791 supply pipes, chain, K 758 plug and rubber stopper and K 960 1¼-inch trap.



Marcosa—F 317 RZ

To secure complete, exactly as shown, order "Standard" Marcosa Lavatory, F 317 RZ - - - - - \$41.60

Can also be furnished with K 766 Princess Drain with Four Ball Metal Handle through lavatory back. If desired, order F 317 R. - - - - - \$47.05



Fenwick—F 387 WZ

To secure complete, exactly as shown, order "Standard" Fenwick Lavatory, F 387 WZ - - - - - \$48.15

THE "Standard" Vitreous China "Fenwick" Lavatory, which measures 17 inches from corner to end on sides is one of our most popular patterns and makes a very acceptable fixture where a corner lavatory is desired. Furnished with K 1011 faucets having handles marked H and C, K 790 plain wall supply pipes, chain, K 758 plug and rubber stopper and K 960 1¼-inch trap.



"Standard" Closets

OF ALL plumbing fixtures there is none which should be more carefully selected than the water closet, one reason being that its principal operating mechanism is permanently immersed in water and should therefore be of the very best quality to successfully withstand the corrosive action of the water in many localities. Another reason is the important sanitary function the closet must perform.

"Standard"
VITREOUS CHINA
CLOSET
COMBINATIONS
are branded
"Standard"

Our general catalogue illustrates many closets, in great variety of types and for every requirement. The six shown in this book are thoroughly representative and offer a choice, suitable for moderately priced or elaborately finished homes. These trade named closets, Devoro, Purimo, Expulso and Ejecto are assembled complete at the factory to assure proper functioning and long service.

You can buy these fixtures with confidence because they are "Standard"—because of the integrity, the standing with the trade and public, and long experience of this Company and because this Company is ready at all times to make good or remedy any "Standard" product that may not be entirely satisfactory.

THE DEVORO *All White* Syphon Jet Closet combines the same principles of operation of the DEVORO described on page 42 with the additional feature of entire elimination of exposed nickeled brass, giving a complete white surface, easily cleaned.

In addition to white flush connection as on all closets shown in this book, further elimination of exposed nickel-plated brass is obtained by fitting tank with a special float valve suitable for concealed supply pipe coming through back of tank above the water line.


The F 6503 white Ivorite seat with cover has concealed bar hinge to match.

A control stop on inside of tank allows the flow of water to be regulated or shut off entirely without affecting the supply of water to other fixtures.



DEVORO *All White*— F 2100

Patented March 16, 1915



**Cross Section of
DEVORO All White
Closet F 2100**

To secure complete, exactly as shown, order

"Standard" DEVORO All White


F 2100, \$77.80

IVORITE SEATS

"Standard" Ivorite Closet Seats are durable, sanitary and attractive. *Ivorite* is a pure white material applied in sheet form to well seasoned wood. The seats have a highly polished white glossy finish, unexcelled as a sanitary surface and are very easily kept clean. Each genuine "Standard" Ivorite Seat has trade mark "Standard" pressed in.

THE water closet of years ago, with its high tank, depended for operation upon the weight of the water falling from the tank, set 6 or 7 feet above the bowl. The early closet was not sanitary, and soon became the subject of scientific investigation which resulted

in the application of the hydraulic principle of syphonage.



DEVORO—F 2200

Patented March 16, 1915

This completely revolutionized closet construction. The tank instead of having to be set high, became only a reservoir which could be set low. The modern bowl (vitalized by a jet)—used to create immediate syphonage and known as the "syphon jet" pattern, became the most sanitary type of water closet on the market.


The DEVORO is a syphon jet closet. When flushed, the first action is through the jet opening into the lower cavity of the bowl. The force of this jet starts syphonage, and the con-

tents of the bowl are drawn out quietly and without commotion. The scouring effect of the water entering through the flushing rim, thoroughly cleanses the sides of the bowl.

The DEVORO shown has Vitreous China tank and bowl with white flush connection and F 6523 white *Ivorite* seat and cover. Is equipped with valve on supply pipe so closet can be shut off, if necessary, without shutting off water to other fixtures.

*To secure complete, exactly as shown,
order "Standard" DEVORO Closet*

F 2200, \$70.20




**Cross Section of
DEVORO Closet, F 2200**

THIS Devoro is exactly like the Devoro on preceeding page except that the bowl is extended in front. This is a sanitary feature that has not been so fully appreciated in homes as in public toilets, but is increasing in favor as more thought is given to proper selection of fixtures. The open front F 6531 seat and cover conforms to the shape of the bowl and is considered as the most cleanly type.

This closet, like all shown in this catalogue, is assembled complete by this Company. Every part is designed especially for its particular purpose and with regard to its relation to the other parts with which it functions. This insures harmony of design, smoothness and certainty of operation and the centering of responsibility for the complete combination with this Company. Each Closet comes packed complete.



Devoro—F 2201
Patented March 16, 1915



Cross Section of
DEVORO Closet, F 2201

To secure complete, exactly as shown
order "Standard" Devoro Closet, F 2201
- - - - - \$ 73.10

If wanted All White same as F 2100
except with extended front, order
F 2101 - - - - - \$82.45


THE PURIMO is a Syphon Jet Closet of Special Design. The addition of the Extended Front to the water closet bowl, and the demonstration of its sanitary importance, is evidence that

an equally efficient feature at the rear must prove highly desirable.

This Closet provides the highest type of a Sanitary Rim, while at the same time retaining the compact form of the ordinary closet.

A highly important essential in a non-soiling flushing rim is a minimum area of fouling space, and in this respect the PURIMO is unequaled.

This PURIMO Closet is as near noiseless as any water closet can be made, and yet retain its efficient working qualities.



Purimo—F 2211

*Patented April 15, 1913; Nov. 3, 1914;
Mar. 16, 1915*

This is the ideal closet from a sanitary viewpoint, and has only to be seen and tested to have its many good points appreciated.


The combination shown has Vitreous China Tank and bowl with white flush connection and F 6557 white Ivorite seat. Is equipped with valve on supply pipe so water can be shut off if necessary, without shutting off water to other fixtures.

To secure complete, exactly as shown, order "Standard" PURIMO Closet, F 2211

— — — — — \$85.55




Top View of
PURIMO
Bowl, showing
Sanitary
Features




Cross Section of
PURIMO Closet, F 2211

THE EXPULSO Closet, on account of an important patented economical bowl feature, is offered at the moderate price given below. The EXPULSO Bowl provides an entirely new method of closet operation. It employs a curved channel extending down the front of the bowl cavity. By means of this channel, the water (all of which enters the bowl through the flushing rim), is concentrated at a point identical with that where the water enters through the jet in the Syphon Jet Bowl. Action is sustained as fully as in the Syphon Jet Bowl, by the continued expulsive effect of the water rushing down the curved channel.

Reduced size of bowl and moderate cost, is made possible by arranging the water supply through the rear of the bowl instead of through the top.



Expulso—F 2228
Patented March 23, 1915



Cross Section of
EXPULSO Closet,
F 2228

The tank and bowl are Vitreous China, and the F6523 seat is white *Ivorite*. The closet has a valve on supply pipe so that the water can be shut off, if necessary, without shutting off water to other fixtures. It has white flush connection.

"Standard" closets are exhibited in all "Standard" showrooms. If possible, visit one of these showrooms, where you can study all types of closets and select those best adapted for your installation.

To secure complete, exactly as shown, order "Standard" EXPULSO Closet, F 2228, \$62.75

THE low price of the EJECTO Closet places it within reach of the most economical purchaser, and we believe it represents the utmost value at the price. Operation is secured by the accumulation

of the water in the bowl, until it acquires sufficient weight to partly expel the air from the syphon leg, and set up the syphonic action by which the bowl contents are discharged.



Ejecto—F 2238
Patented March 23, 1915


The action, once started in the EJECTO continues until the tank is empty, without any backing up or break in syphon action.

The EJECTO is considered to be more nearly perfect than any other Syphon Action Closet. It is offered as a practical, serviceable closet with all essential features that a sanitary fixture must have.

Where price is a primary consideration this closet can be specified with confidence.

The tank and bowl are Vitreous China with white flush connection and the F 6663 seat with cover is birch, mahogany finished. It is equipped with valve on supply pipe so that closet can be shut off, if necessary, without shutting off the water to other fixtures.

To secure complete, exactly as shown, order "Standard" EJECTO Closet, F 2238, \$49.90.



Cross Section of
EJECTO Closet, F 2238



"Standard" Kitchen Sinks

Is your sink yardstick high?



THE Kitchen has risen to a new plane of appreciation. No longer is it a place of drudgery. The essential work is accomplished, for the most part, pleasantly, easily and cheerfully.

The importance of the Kitchen has directed to it a great deal of thought, resulting in many labor saving devices and bringing about the Kitchen's complete transformation.

All these devices have a more or less direct relation to the work at the Kitchen Sink.

The Sink, then, is the pivotal center, the fixture of importance from a sanitary and labor saving standpoint.


That is why "Standard" Sinks are designed without crack, joint or crevice, all in ONE-PIECE and in beautiful white glossy finish that radiates cleanliness. They are easily kept spotless.

"Standard" Sinks meet every requirement of convenience; being made with single and double drain boards, for left and right corner and recess, also with laundry trays in space saving combinations.

Strong wall hangers have eliminated necessity for sink legs, thereby providing unobstructed floor space and for the setting of sinks at any desired height. The "Standard" recommendation of 36 inches from floor to top of rim has been gratefully accepted by many women who were quick to see the greater comfort and ease of working due to the more natural posture possible with it.

If your sink is not "yardstick high," then compare it with the "Standard" Sinks shown in this catalogue. Note the beauty of design, variety of sizes and patterns and the Swinging Spout Faucet.

Since the year 1900, there has been sold more than 3,640,000 ONE-PIECE sinks of the various patterns shown in this book. You are not experimenting when you purchase a "Standard" ONE-PIECE Sink.



*"Standard" Kitchen Sink—P 6710 QS
(See opposite page)*

Kitchen Sink—P 6710 QS

(See illustration on opposite page)

THIS "Standard" sink represents the last word in the manufacture of enameled sinks.

A sink of this type in your kitchen will add far more than its cost to the value of the home. From a sanitary standpoint your kitchen will be one of the show places of your home. Now that competent help is so difficult to obtain, such a sanitary, labor saving sink will attract and hold better help.

This sink set yard stick high provides comfort and prevents backstrain. Avoid setting sink as low as 30 inches.

The K 900 S nickel-plated RE-NU compression combination double sink faucet has spout that swings out of the way, rinses dishes without moving dish pan aside, and adjusts temperature of water as desired. It has stream regulator which prevents splashing and internal bronze sleeves which, with the stems, comprise the only parts subject to wear. These, when worn, can be replaced at a nominal cost, avoiding expense of a new faucet.




K 900 S
Swinging Spout RE-NU
Faucet with Soap Dish

The K 759 Duplex strainer has a grating which you can remove to clean or insert rubber stopper to retain water in sink. The K 960 trap, 1½ inch size, is nickel-plated.

To secure complete exactly as shown with double drain boards, all in one-piece, order "Standard" Kitchen Sink, P 6710 QS, in size desired. Sink back is 12 inches high.


Size - - - - -	22x60 in.	20x74 in.	22x78 in.
Sink - - - - -	22 ¼x22 in.	20 ¼x26 in.	22 ¼x28 in.
Length of Drain Boards - - - - -	19 ¼ in.	24 ¼ in.	25 ¼ in.
Length over all - - - - -	60 ½ in.	74 ½ in.	78 ½ in.
Apron - - - - -	6 in.	5 ½ in.	6 in.
P 6710 QS - - - - -	\$97.00	\$110.05	\$117.55

"Standard" PLUMBING FIXTURES




Kitchen Sink—P 6707 QS

THIS "Standard" Sink is enameled and has a drain board on either right or left end, as desired. (See diagrams below.) The back is 12 inches high, and sink is supported on concealed wall hangers. Legs have been eliminated to permit easier cleaning and setting of sink at any desired height. Yard stick high from rim to floor is recommended. This height was determined scientifically and first published by this Company. The K 900 S nickel-plated RE-NU combination sink faucet with swinging spout has stream regulating device. Sink outlet has K 759 Duplex strainer with removable grating. K 960 1½-inch trap is nickel-plated.



P 6706 QS




P 6707 QS

To secure complete, exactly as shown, order "Standard" Kitchen Sink, P 6707 QS; with drain board on right end, order P 6706 QS, in size desired.


Size - - - - -	20x42 inches	20x52 inches	22x60 inches
Sink - - - - -	20 ¼x22 ¼ inches	20 ¼x28 ¼ inches	22 ¼x34 ¼ inches
Length of Drain Board - - - - -	20 ¼ inches	24 ¼ inches	26 ¼ inches
Length over all - - - - -	42 ½ inches	52 ½ inches	60 ½ inches
Apron - - - - -	5 ½ inches	5 ½ inches	6 inches
P 6706 QS or P 6707 QS	\$55.15	\$71.35	\$85.95

"Standard" PLUMBING FIXTURES




Kitchen Sink—P 6720 QS

THIS "Standard" Enameled Sink has an end for installing in a corner. Concealed hangers give ample support. They permit sink to be set at height convenient to user, preferably 36 inches. Many women have benefitted by following this "Standard" suggestion. Back is 12 inches high. K 900 S RE-NU double sink faucet is fully described on page 49. Outlet has K 759 Duplex strainer. K 960 1½ inch trap is nickel-plated. Made for either right or left corners and with drain board at right or left end for each corner. (See diagrams.)




P 6720 QS




P 6715 QS

To secure for left corner complete, exactly as shown, order "Standard" Kitchen Sink, P 6720 QS; with drain board in right corner, order P 6721 QS. For left corner with drain board at right end, order P 6715 QS; with drain board at left end for right corner, order P 6716 QS. Always state size desired.




P 6721 QS




P 6716 QS

Size - - - - -	20x42 inches	20x52 inches	22x60 inches
Sink - - - - -	20 ¼x22 ¼ inches	20 ¼x28 ¼ inches	22 ¼x34 ¼ inches
Length of Drain Board - - - - -	20 inches	24 inches	26 inches
Length over all - - - - -	42 ¼ inches	52 ¼ inches	60 ¼ inches
Apron - - - - -	5 ½ inches	5 ½ inches	6 inches
P 6720 QS or P 6721 QS	\$56.25	\$76.05	\$90.75
P 6715 QS or P 6716 QS	56.25	76.05	90.75




Kitchen Sink—P 6736 QS

THE feature of this beautiful enameled sink is the double compartments. The dishes are washed in one and rinsed in the other. The K 900 S double combination faucet with removable China Soap Dish, supplies hot, cold or tempered water to either compartment as desired. Concealed hangers give ample support. It is 8 inches deep inside and has a 12 inch back. Furnished with K 997 continuous drain and K 960 trap in 1½ inch size. Made with drain board either to right or left of double compartment.




P 6736 QS



P 6737 QS

To secure complete, exactly as shown, order "Standard" Kitchen Sink, P 6736 QS; with drainboard on left end, order P 6737 QS. No difference in cost.

Size	22x60 inches	Length of Drainboard	20 ½ inches
Front to Back, Outside	22 ¼ inches	Length each Sink, Inside,	18 inches
Apron	6 inches	Length Over all	60 ½ inches
P 6736 QS or P 6737 QS			\$114.60



Kitchen Sink—P 6814 Q


IN order to make it possible to secure an enameled double drain board sink, similar to P 6710 (page 48) at a lower price, the pattern shown above was designed.

It has a back 12 inches high and is supported on concealed wall hangers, permitting sink to be set any desired height—yard stick high, to avoid back-strain, being generally approved. Sink furnished with under side painted one coat. Has K 900 nickel-plated **RE-NU** compression combination double sink faucet. The outlet is equipped with K 759 *Duplex* strainer and the K 960 trap is nickel-plated.

To secure complete, exactly as shown with double drain boards, order "Standard" Kitchen Sink, P 6814 Q.

Size	- - - - -	22x60 inches	Sink	- - - - -	22x22 inches
		Length of Drain Boards	- - - - -		19 inches
		Length over all	- - - - -		60 inches
P 6814 Q	- - - - -				\$63.75

"Standard" PLUMBING FIXTURES




Kitchen Sink—P 6815 Q

THIS "Standard" Sink is enameled and like P 6706, except without apron. The back is 12 inches high. The absence of legs (eliminated by use of concealed hangers) makes for ease of cleaning. Can be set the universally approved yard stick height or otherwise to suit your preference. Has K 900 nickel-plated RE-NU double sink faucet. The sink outlet has K 759 Duplex strainer with grating which can be removed to clean or insert rubber stopper. The K 960 trap is nickel-plated. Sink furnished with under side painted one coat. Made with drain board on either right or left end of sink. See diagrams.

We make several patterns in sinks for installing in a recess. Ask your plumber about them or send to us for information and illustrations.




P 6815 Q



P 6816 Q


To secure complete, exactly as shown, order "Standard" Kitchen Sink, P 6815 Q, with drain board on left end, order P 6816 Q. No difference in cost. Always state size desired.

Size	— — — — —	20x42 in.	20x46 in.	20x52 in.	22x52 in.	22x60 in.
Sink	— — — — —	20x22 in.	20x28 in.	20x28 in.	22x28 in.	22x34 in.
Length of Drainboard		20 in.	18 in.	24 in.	24 in.	26 in.
Length over all	— —	42 in.	46 in.	52 in.	52 in.	60 in.
P 6815 Q or P 6816 Q		\$46.25	\$48.50	\$50.90	\$53.20	\$65.95




Kitchen Sink—P 6820 Q

THIS "Standard" Sink is enameled and like P 6715 except without apron. Concealed hangers provide ample support and avoid obstructing floor with sink leg. Back is 12 inches high, and the K 900 RE-NU double faucet has swinging arm. Sink outlet is equipped with sanitary K 759 Duplex strainer, with grating which can be removed to clean, or insert rubber stopper. K 960 1½ inch trap is nickel-plated. Sink furnished with under side painted one coat. See diagrams to order.




P 6820 Q




P 6824 Q

To secure for left corner complete, exactly as shown, order "Standard" Kitchen Sink, P 6820 Q; with drain board at wall end, order P 6824 Q; for right corner, with drain board at left end, order P 6821 Q; with drain board at wall end, for right corner, order P 6825 Q. Always state size desired.




P 6821 Q



P 6825 Q

Size - - - - -	20x46 inches	20x52 inches	22x52 inches	22x60 inches
Sink - - - - -	20x28 inches	20x28 inches	22x28 inches	22x34 inches
Length of Drain Board	18 inches	24 inches	24 inches	26 inches
Length over all - -	46 inches	52 inches	52 inches	60 inches
P 6820 Q or P 6821 Q	\$56.05	\$59.50	\$61.85	\$75.65
P 6824 Q or P 6825 Q	56.05	59.50	61.85	75.85



Kitchen Sink
P 6800 E

THIS is the least expensive one-piece enameled sink with back we make. Back is 12 inches high. Sink is held in position by a concealed hanger which can be set any height from the floor. K 1150 faucets contain stream regulating device, and outlet has K 759 Duplex strainer. Has K 960 1½ inch nickel-plated trap, and is furnished with under side painted one coat. Depth inside, 6 inches.

To secure complete, exactly as shown, order "Standard" Kitchen Sink, P 6800 E, in size desired.

Sizes	Prices
16x24 inches - - - - -	\$23.65
18x18 inches - - - - -	23.65
18x24 inches - - - - -	23.10
18x30 inches - - - - -	26.55
18x36 inches - - - - -	30.00
20x20 inches - - - - -	23.65
20x24 inches - - - - -	25.35


Sizes	Prices
20x30 inches - - - - -	\$27.85
20x36 inches - - - - -	30.65
20x40 inches - - - - -	35.30
22x30 inches - - - - -	30.10
22x36 inches - - - - -	32.95
22x42 inches - - - - -	37.60

Can also be furnished 8 inches deep in three sizes. If wanted, order P 6802 E in size desired.

Size - - - - -	20x24 inches	22x30 inches	22x36 inches
	\$29.45	\$34.10	\$37.60


THIS Sink is enameled and is a duplicate of P 6800 E, except that it has an apron 5½ inches deep which enriches its appearance. K 900 S RENU Double faucet has stream regulating device.

To secure complete, exactly as shown, order "Standard" Kitchen Sink, P 6700 QS, in size desired.




Kitchen Sink
P 6700 QS

Sizes	18x30 in.	20x24 in.	20x30 in.	20x36 in.	20x40 in.	22x36 in.	22x42 in.
	\$48.80	\$45.80	\$49.80	\$55.15	\$58.25	\$58.25	\$63.55



Laundry Tray and Sink Combination—P 7425 A F


THIS enameled one-piece laundry tray and sink makes an excellent fixture for apartments, small residences and cottages. It has a nickel-plated soap dish and is supported on wall hangers and adjustable pedestal. Outside of sink, tray and pedestal is painted one coat. Sink has K 1158 compression stream regulating faucets, and K 999 *Duplex* strainer. Laundry tray has K 1588 compression stream regulating faucets, K 998 drain plug and rubber stopper. The ash drain board is interchangeable for use over sink or tray or may be removed entirely. Length over all of fixture $50\frac{1}{4}$ inches. Width over all, $23\frac{1}{2}$ inches. Floor to top of rim, 30 to 33 inches.




P 7425 A F

*To secure complete, exactly as shown, order
"Standard" Laundry Tray and Sink
Combination P 7425 A F, \$87.50*

If wanted with sink on right end and tray on left, order
P 7426 A F same price, (See diagrams.)




P 7426 A F




Laundry Tray and Sink Combination—P 7430 A F

THE one-piece enameled laundry tray and sink here shown, is like the same useful fixture shown on preceeding page, and in addition has a six-inch apron which greatly enriches its appearance. It has a nickel-plated soap dish and is supported on wall hangers, and enameled adjustable legs. Outside of tray is painted one coat. The sink like that shown on preceeding page, is also fitted with K 1158 compression stream regulating faucets and K 999 *Duplex* strainer, and the laundry tray has K 1588 stream regulating faucets, and K 998 drain plug with rubber stopper. Ash drain board is interchangeable for use over sink or tray or may be removed entirely. Length over all of fixture, 50 $\frac{3}{4}$ inches. Width over all, 23 $\frac{1}{2}$ inches. Floor to top of rim, 32 to 36 inches.




P 7430 A F



P 7431 A F


*To secure complete, exactly as shown, order
"Standard" Laundry Tray and Sink
Combination P 7430 A F, \$107.30*

If wanted with sink on right end and tray on left, order
P 7431 A F same price. (See diagrams.)




Laundry Tray and Sink Combination—P 7470 ED

THIS flat rim, low back (4") one-piece enameled laundry tray and sink is built for service at a moderate price. It is supported on wall hangers and adjustable pedestal. Outside of sink, tray and pedestal is painted one coat. Sink has K 1150 compression stream regulating faucets and K 999 Duplex Strainer.



P 7470 E D




P 7471 E D

Laundry Tray has K 1570 compression stub pattern faucets and K 998 drain plug and rubber stopper. Ash drainboard can be used over sink or tray. Furnished with nickel-plated soap dish. Length over all of fixture 46 inches. Width over all, 22 inches.

*To secure complete, exactly as shown, order
"Standard" Laundry Tray and Sink
Combination P 7470 ED, \$63.55.*

Floor to top of
Rim, 29 1/2 in.
to 32 1/2 in.


If wanted with sink on right end and tray on left, order
P 7471 ED, same price. (See diagrams).



Laundry Trays—P 7300 F

THIS equipment, P 7300 F, extends the one-piece idea to the laundry in the maximum degree, as the two enameled trays, with 8-inch high enameled back and roll rim are made all in one-piece, without a single crack, crevice or joint.

The outside and sanitary adjustable pedestals are painted one coat. Hard wood wringer holder is fastened to rim on right end. The K 1158 faucets with stream regulating device, soap dishes and K 997 1½-inch drain pipe and K 965 vented trap are nickel-plated.



P 7302 Q

Shown with K 930 Double Faucet


This K 930 RE-NU double faucet with swinging spout can be used instead of the four faucets shown. It has rough nickel-plated body, polished nickel-plated handles, hose end and supplies either tray. The spout swings out of the way when not in use.

To secure complete, exactly as shown, order "Standard" Laundry Trays, P 7300 F—\$106.65. With Swinging Spout Faucet order Laundry Trays P 7302 Q—\$106.20.

Front to Back, Inside	-	21¾ in.	Depth Inside,	-	-	-	14¼ in.
Front to Back, Outside	-	26 in.	Length Inside, each Section	-	-	-	23 in.
Length over all, Two Sections,				53 in.			
Floor to top of rim,				31 to 34 in.			

"Standard"

PLUMBING FIXTURES



Laundry Trays—P 7338 E

THESE trays are enameled inside, painted one coat outside, are supported on painted sanitary adjustable pedestals and fitted with nickel-plated soap dishes and K 1570 single faucets as shown above, or K 932 double faucet with swinging spout illustrated below. One double faucet supplies two trays and the spout swings out of the way when not in use. Trays are joined together with nickel-plated strips which take the hard wood wringer holders. The wringer holder on end tray is fastened to rim. Furnished with K 998 drain plugs and rubber stoppers.

Front to Back, Inside - $21\frac{1}{4}$ in. Depth Inside - - - - $14\frac{1}{4}$ in.
 Front to Back, Outside - 26 in. Length Inside, each Section 23 in.
 Length over all, Three Sections, $82\frac{1}{2}$ in.

To secure complete, exactly as shown, order "Standard" Laundry Trays, P 7338 E; with K 932 double faucet and wringer holder on end tray only, order "Standard" Laundry Trays, P 7339 B. State number of sections desired.




P 7339 B
 Shown with K 932
 Double Faucet

	1 sec.	2 sec.	3 sec.
P 7338 E -	\$46.25	\$81.55	\$116.75
P 7339 B -	49.50	80.55	

The adjustable Pedestals are made so that the top of the rim of the tray can be set from 31 to 34 inches from the floor.

"Standard" PLUMBING FIXTURES



Laundry Trays—P 7350 E

THESE very serviceable enameled laundry trays are economical in price on account of flat rim and absence of backs. They are of same quality as higher priced sets. The trays are painted outside, are supported on sanitary painted pedestals and bolted together at rims.

Can be had with separate hot and cold faucets K 1570 as shown above on P 7350 E or double faucet K 932 shown in illustration P 7351 B. Trays have nickel-plated soap dishes and K 998 drain plugs and rubber stoppers.


Front to Back, Inside	- - 22 in.	Depth Inside	- - - 14 1/4 in.
Front to Back, Outside	- - 25 1/2 in.	Length Inside, each Section	23 in.
Length over all, Three Sections	76 1/2 in.	Floor to top of Rim	- 31 to 34 in.



P 7351 B
Shown with K 932
Double Faucet

To secure complete, exactly as shown, order "Standard" Laundry Trays P 7350 E; with double faucet, order P 7351 B. State number of sections desired.

	1 Sec.	2 Sec.	3 Sec.
P 7350 E	- - \$26.45	\$52.90	\$79.35
P 7351 B	- - 29.70	54.05	



Laundry Trays—P 7380 E

THIS set of laundry trays is the smallest, simplest and least expensive we make. Each tray is made with flat rim and enameled inside. Supported on sanitary adjustable pedestals, with outside of trays and pedestals painted one coat. Trays are fitted with hard wood wringer holders bolted to rims, and have K 1570 nickel-plated stub pattern faucets, K 998 drain plugs and rubber stoppers.

To secure complete, exactly as shown, order "Standard" Laundry Trays, P 7380 E. State number of sections desired.

Front to Back, Inside - -	19 in.	Depth Inside - - - -	13 ¼ in.
Front to Back, Outside - -	22 ¾ in.	Length Inside, each Section	21 ¼ in.
Length over all, Three Sections, 72 ¾ in.			
Floor to top of Rim, 30 to 33 in.			

1 Section, \$22.85

2 Sections, \$45.70

3 Sections, \$68.55

NOTE—The faucets on the laundry trays shown on this page are known as the "stub" pattern. They differ from the faucet which you are accustomed to see, in that they are shorter, the end of handle being only 2 ½ inches from the back. The purpose of this construction is to have the faucets as short as possible, to leave the maximum working space in the trays.



K 1570
Stub Pattern Faucet

IT is the confident belief of this Company that it manufactures every type of plumbing fixture and accessory the public requires. It is equally confident that "Standard" Plumbing Fixtures are unsurpassed in quality and design.

Certainly no more impressive endorsement of "Standard" products could be obtained nor desired, than the plain fact that since the year 1900 the public has purchased 24,000,000

"Standard" PLUMBING FIXTURES

If not convenient to visit a "Standard" Showroom ask to see the large "Standard" General Catalogue when consulting your Architect, Contractor or Plumber. It contains 400 pages, illustrating thousands of fixtures and fittings with descriptions and measurements.

Your Architect, Plumber or Contractor can point out the advantageous features of the various fixtures and their adaptability to your installation. Their services are essential to success in building.

The Architect Contractor & The Plumber

THE services of competent Architects, Contractors and Plumbers are essential to success in building.

Without the aid of an Architect's advice it is an easy matter to make errors, the cost of correcting which might readily be more than the Architect's fee.

Your plumbing contract should be awarded to a reliable Plumber. Cheap plumbing fixtures, poorly installed, are not only a source of constant annoyance but a menace to health.

*The Plumber Protects the
Health of the Nation*




E. G. SNYDER

40 Scio Street

ROCHESTER, N. Y.

"Standard" RE-NU FAUCETS

THE removable barrel or working unit containing the seat and threads embodies a principle of construction that makes for the almost perpetual life of the fitting. The principal parts subject to wear in the ordinary type of Faucet (the seat and body threads) are in "Standard" RE-NU line an integral part of the removable barrel which is made of high grade bronze metal. This permits easy replacement of these parts at small expense, making the RE-NU Faucet in operation as good as new.



NOTE THE SIMPLICITY OF CONSTRUCTION

The stem with packings and washer is identical to those used in regular Compression and Quick Compression Work. The only additional part used is the bronze barrel itself.

Standard Sanitary Mfg. Co.

SPECIFY clearly that your "Standard" Plumbing Fixtures are to be fitted with "Standard" Brass Goods, which are made to fit, complete and in every way harmonize in quality and durability.

"Standard" BRASS GOODS FIT "Standard" PLUMBING FIXTURES

"Standard" Plumbing Fixtures when fitted complete with "Standard" Brass Goods center responsibility for complete fixtures on one manufacturer.

The trade mark "Standard" is your insurance.

Standard Sanitary Mfg. Co.

See complete display of "Standard" Brass Goods in "Standard" Showroom.

